

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Harri JUNTUNEN

Conf. No: 9474

Application No: 10/598,728

Art Unit:

Filed:

Examiner:

For: CONTROL VALVE FOR DOOR CLOSER

REQUEST TO UPDATE RECORDS

COMMISSIONER FOR PATENTS

P.O. Box 1450


Alexandria, Virginia 22313-1450

Attn: Office of Patent Application Processing

Sir:

The power of attorney that was filed in this case names the practitioners associated with Customer No. 007812, namely John Smith-Hill (Reg. No. 27,730) and Daniel J. Bedell (Reg. No. 30,156). The PTO records pertaining to this case refer to the Customer Number but do not name either of the practitioners in the attorney/agent information. Consequently, any attempt to update correspondence address or fee address information is rejected because of a power of attorney mismatch. It is requested that the records of the Patent and Trademark Office be updated to identify John Smith-Hill and Daniel J. Bedell as attorney/agent.

Respectfully submitted,



John Smith-Hill

Reg. No. 27,730

SMITH-HILL & BEDELL, P.C.

16100 N.W. Cornell Road, Suite 220

Beaverton, Oregon 97006

Tel. (503) 574-3100

Fax (503) 574-3197

Docket: AWEK 3513